Contents

Number 342

Themed issue

Molecular Physiology: Engineering Crops for Hostile Environments

MIFLIN B. Crop improvement in the 21st century 1

ELLIS RP, FORSTER BP, ROBINSON D, HANDLEY LL, GORDON DC, RUSSELL JR, POWELL W. Wild barley: a source of genes for crop improvement in the 21st century? 9

FORSTER BP, ELLIS RP, THOMAS WTB, NEWTON AC, TUBEROSA R, THIS D, EL-ENEIN RA, BAHRI MH, BEN SALEM M. The development and application of molecular markers for abiotic stress tolerance in barley 19

SCHOENBECK MA, TEMPLE SJ, TREPP GB, BLUMENTHAL JM, SAMAC DA, GANTT JS, HERNANDEZ G, VANCE CP. Decreased NADH glutamate synthase activity in nodules and flowers of alfalfa (*Medicago sativa* L.) transformed with an antisense glutamate synthase transgene 29

ROBINSON D, HANDLEY LL, SCRIMGEOUR CM, GORDON DC, FORSTER BP, ELLIS RP. Using stable isotope natural abundances ($\delta^{15}N$ and $\delta^{13}C$) to integrate the stress responses of wild barley (*Hordeum spontaneum* C. Koch.) genotypes 41

ZHANG H, FORDE BG. Regulation of *Arabidopsis* root development by nitrate availability 51

CLARKSON DT, CARVAJAL M, HENZLER T, WATERHOUSE RN, SMYTH AJ, COOKE DT, STEUDLE E. Root hydraulic conductance: diurnal aquaporin expression and the effects of nutrient stress 61

LASAT MM, PENCE NS, GARVIN DF, EBBS SD, KOCHIAN LV. Molecular physiology of zinc transport in the Zn hyperaccumulator *Thlaspi caerulescens* 71

SAKAMOTO A, MURATA N.Genetic engineering of glycinebetaine synthesis in plants: current status and implications for enhancement of stress tolerance 81

DENNIS ES, DOLFERUS R, ELLIS M, RAHMAN M, WU Y, HOEREN FU, GROVER A, ISMOND KP, GOOD AG, PEACOCK WJ. Molecular strategies for improving waterlogging tolerance in plants 89

FLOWERS TJ, KOYAMA ML, FLOWERS SA, SUDHAKAR C, SINGH KP, YEO AR. QTL: their place in engineering tolerance of rice to salinity 99

PASTORI G, FOYER CH, MULLINEAUX P. Low temperature-induced changes in the distribution of H_2O_2 and antioxidants between the bundle sheath and mesophyll cells of maize leaves 107

SHEVELEVA EV, JENSEN RG, BOHNERT HJ. Disturbance in the allocation of carbohydrates to regenerative organs in transgenic *Nicotiana tabacum* L. 115

KINGSTON-SMITH AH, FOYER CH. Bundle sheath proteins are more sensitive to oxidative damage than those of the mesophyll in maize leaves exposed to paraquat or low temperatures 123

HAWKESFORD MJ. Plant responses to sulphur deficiency and the genetic manipulation of sulphate transporters to improve S-utilization efficiency 131

MULLARKEY M, JONES P. Isolation and analysis of thermotolerant mutants of wheat 139

Number 343

Perspectives in Experimental Botany

NETTING AG. pH, abscisic acid and the intregration of metabolism in plants under stressed and non-stressed conditions: cellular responses to stress and their implication for plant water relations (Review article) 147

Cell and Molecular Biology, Biochemistry and Molecular Physiology

NORWOOD M, TRUESDALE MR, RICHTER A, SCOTT P. Photosynthetic carbohydrate metabolism in the resurrection plant *Craterostigma plantagineum* 159

LEMONTEY C, MOUSSET-DÉCLAS C, MUNIER-JOLAIN N, BOUTIN J-P. Maternal genotype influences pea seed size by controlling both mitotic activity during early embryogenesis and final endoreduplication level/cotyledon cell size in mature seed 167

HOLMSTRÖM K-O, SOMERSALO S, MANDAL A, PALVA TE, WELIN B. Improved tolerance to salinity and low temperature in transgenic tobacco producing glycine betaine 177

BRISIBE EA, GAJDOSOVA A, OLESEN A, ANDERSEN SB. Cytodifferentiation and transformation of embryogenic callus lines derived from anther culture of wheat 187

BURNETT EC, DESIKAN R, MOSER RC, NEILL SJ. ABA activation of an MBP kinase in *Pisum sativum* epidermal peels correlates with stomatal responses to ABA 197

GERENDÁS J, RATCLIFFE RG. Intracellular pH regualtion in maize root tips exposed to ammonium at high external pH 207

Regulation of Growth, Development and Whole Organism Physiology

CAKMAK I, WELCH RM, HART J, NORVELL WA, OZTÜRK L, KOCHIAN LV. Uptake and retranslocation of leaf-applied cadmium (^{109}Cd) in diploid, tetraploid and hexaploid wheats 221

WALCH-LIU P, NEUMANN G, BANGERTH F, ENGELS C. Rapid effects of nitrogen form on leaf morphogenesis in tobacco 227

DODD IC, HE J, TURNBULL CGN, LEE SK, CRITCHLEY C. The influence of supra-optimal root-zone temperatures on growth and stomatal conductance in *Capsicum annuum* L. 239

FILONOVA LH, BOZHKOV PV, VON ARNOLD S. Developmental pathway of somatic embryogenisis in *Picea abies* as revealed by time-lapse tracking 249

Plants and the Environment

OLSSON LC, FRAYSSE L, BORNMAN JF. Influence of high light and UV-B radiation on photosynthesis and D1 turnover in atrazine-tolerant and -sensitive cultivars of *Brassica napus* 265

STEINMAUS SJ, PRATHER TS, HOLT JS. Estimation of base temperatures for nine weed species 275

© Society for Experimental Biology 2000

WHEELER CT, TILAK M, SCRIMGEOUR CM, HOOKER JE, HANDLEY LL. Effects of symbiosis with *Frankia* and arbuscular mycorrhizal fungus on the natural abundance of ^{15} N in four species of *Casuarina* 287

Short Communication

CELLIER F, CONÉJÉRO G, CASSE F. Dehydrin transcript fluctuations during a day/night cycle in drought-stressed sunflower 299

Methods Papers

BARRIEU P, SIMONNEAU T. The monoclonal antibody MAC252 does not react with the (–) enantiomer of abscisic acid 305

WEI C, TYREE MT, BENNINK JP. The transmission of gas pressure to xylem fluid pressure when plants are inside a pressure bomb 309

Gene Note

MIKAMI K, IUCHI S, YAMAGUCHI-SHINOZAKI K, SHINOZAKI K. A novel A*rabidopsis thaliana* dynamin-like protein containing the pleckstrin homology domain 317

Special Issue: Genetic Manipulation of Photosynthesis

Photosynthetic Systems and Manipulation

POOLMAN MG, FELL DA, THOMAS S. Modelling photosynthesis and its control 319

THOMAS H, HOWARTH CJ. Five ways to stay green 329

BAILEY KJ, BATTISTELLI A, DEVER LV, LEA PJ, LEEGOOD RC. Control of C_4 photosynthesis: effects of reduced activities of phosphoenolpyruvate carboxylase on CO_2 assimilation in *Amaranthus edulis* L. 339

Adenylates and Electon Transport as Targets for Manipulation

NOCTOR G, FOYER CH. Homeostasis of adenylate status during photosynthesis in a fluctuating environment 347

RUUSKA SA, BADGER MR, ANDREWS TJ, VON CAEMMERER S. Photosynthetic electron sinks in transgenic tobacco with reduced amount of Rubisco: little evidence for significant Mehler reaction 357

Thykaloid Proteins and their Transport as Targets for Manipulation

ROBINSON C, WOOLHEAD C, EDWARDS W. Transport of proteins into and across the thylakoid membrane 369

MÄENPÄÄ P, GONZALEZ E B, CHEN L, KHAN MS, GRAY JC, ARO E-M. The *ycf 9 (orf 62)* gene in the plant chloroplast genome encodes a hydrophobic protein of stromal thykaloid membranes 375

Rubisco as a Target for Manipulation

MAKINO A, NAKANO H, MAE T, SHIMADA T, YAMAMOTO N. Photosynthesis, plant growth and N allocation in transgenic rice plants with decreased Rubisco under CO_2 enrichment 383

MITCHELL RAC, THEOBALD JC, PARRY MAJ, LAWLOR DW. Is there scope for improving balance between RuBP-regeneration and carboxylation capacities in wheat at elevated CO_2? 391

MOTT KA, WOODROW IE. Modelling the role of Rubisco activase in limiting non-steady-state photosynthesis 399

Carbohydrate Metabolism as a Target for Manipulation

PEGO JV, KORTSTEE AJ, HUIJSER C, SMEEKENS SCM. Photosynthesis, sugars and the regulation of gene expression 407

KOCH KE, YING Z, WU Y, AVIGNE WT. Multiple paths of sugar sensing and a sugar/oxygen overlap for genes of sucrose and ethanol metabolism 417

KAUDER F, LUDEWIG F, HEINEKE D. Ontogenetic changes of potato plants during acclimation to elevated carbon dioxide 429

HAJIREZAEI M-R, TAKAHATA Y, TRETHEWEY RN, WILLMITZER L, SONNEWALD U. Impact of elevated cytosolic and apoplastic invertase activity on carbon metabolism during potato tuber development 439

Crops: Targets for Manipulation

RICHARDS RA. Selectable traits to increase crop photosynthesis and yield of grain crops 447

REYNOLDS MP, VAN GINKEL M, RIBAUT J-M. Avenues for genetic modification of radiation use efficiency in wheat 459

HORTON P. Prospects for crop improvement through the genetic manipulation of photosynthesis: morphological and biochemical aspects of light capture 475

DUNWELL JM. Transgenic approaches to crop improvement 487

Number 344

Perspectives in Experimental Botany

GLOVER BJ. Differentiation in plant epidermal cells (Review article) 497

Cell and Molecular Biology, Biochemistry and Molecular Physiology

COCHRANE MP, PATERSON L, GOULD E. Changes in chalazal cell walls and in the peroxidase enzymes of the crease region during grain development in barley 507

DRISS-ECOLE D, VASSY J, REMBUR J, GUIVARC'H A, PROUTEAU M, DEWITTE W, PERBAL G. Immunolocalization of actin in root statocytes of *Lens culinaris* L. 521

BEWLEY JD, BANIK M, BOURGAULT R, FEURTADO JA, TOOROP P, HILHORST HWM. Endo-β-mannanase activity increases in the skin and outer pericarp of tomato fruits during ripening 529

Regulation of Growth, Development and Whole Organism Physiology

DRUART N, GOUPIL P, DEWAELE E, BOUTIN J-P, RAMBOUR S. Nitrate assimilation in chicory roots (*Cichorium intybus* L.) which acquire radial growth 539

BARROWCLOUGH DE, PETERSON CA, STEUDLE E. Radial hydraulic conductivity along developing onion roots 547

YONEYAMA T, FUJIWARA H, ENGELAAR WMHG. Weather and nodule mediated variations in δ^{14}C and δ^{15} N values in field-grown soybean (*Glycine max* L.) with special interest in the analyses of xylem fluids 559

KOROLEV AV, TOMOS AD, BOWTELL R, FARRAR JF. Spatial and temporal distribution of solutes in the developing carrot taproot measured at single-cell resolution 567

FUNKE M, EDELMANN HG. Auxin-dependent cell wall depositions in the epidermal periplasmic space of graviresponding nodes of *Tradescantia fluminensis* 579

Plants and the Environment

RIETVELD PL, WILKINSON C, FRANSSEN HM, BALK PA, VAN DER PLAS LHW, WEISBEEK PJ, DE BOER AD. Low temperature sensing in tulip (*Tulipa gesneriana* L.) is mediated through an increased response to auxin 587

DEGENHARDT B, GIMMLER H. Cell wall adaptations to multiple environmental stresses in maize roots 595

PEACH L, BENJAMIN LR, MEAD A. Effects on the growth of carrots (*Daucus carota* L.), cabbage (*Brassica oleracea* var. *capitata* L.) and onion (*Allium cepa* L.) of restricting the ability of the plants to intercept resources 605

BEISMANN H, WILHELMI H, BAILLÈRES H, SPATZ H-C, BOGENRIEDER A, SPECK T. Brittleness of twig bases in the genus *Salix*: fracture mechanics and ecological relevance 617

SACANDÉ M, BUITINK J, HOEKSTRA FA. A study of water relations in neem (*Azadirachta indica*) seed that is characterized by complex storage behaviour 635

HODGES DM, FORNEY CF. The effects of ethylene, depressed oxygen and elevated carbon dioxide on antioxidant profiles of senescing spinach leaves 645

Book Review

THOMAS HM. Plant chromosomes. Analysis, manipulation and engineering. AK Sharma, A Sharma.

Number 345

Perspectives in Experimental Botany

MAXWELL K, JOHNSON GN. Chlorophyll fluorescence—a practical guide (Review article) 659

Cell and Molecular Biology, Biochemistry and Molecular Physiology

PALLANCA JE, SMIRNOFF N. The control of ascorbic acid synthesis and turnover in pea seedlings 669

FAMIANI F, WALKER RP, TÉCSI L, CHEN Z-H, PROIETTI P, LEEGOOD RC. An immunohistochemical study of the compartmentation of metabolism during the development of grape (*Vitis vinifera* L.) berries 675

KAWANO T, MUTO S. Mechanism of peroxidase actions for salicylic acid-induced generation of active oxygen species and an increase in cytosolic calcium in tobacco cell suspension culture 685

DELL'ORTO M, SANTI S, DE NISI P, CESCO S, VARANINI Z, ZOCCHI G, PINTON R. Development of Fe-deficiency responses in cucumber (*Cucumis sativus* L.) roots: involvement of plasma membrane H^+-ATPase activity 695

CARTER CE, SZMIDT-JAWORSKA A, HUGHES M, THOMAS B, JACKSON S. Phytochrome regulation of phytochrome A mRNA levels in the model short-day-plant *Pharbitis nil* 703

HOU W-C, WANG Y-T, LIN Y-H, HSIAO L-J, CHEN T-E, WANG C-W, DAI H. A complex containing both trypsin inhibitor and dehydroascorbate reductase activities isolated from mitochondria of etiolated mungbean (*Vigna radiata* L. (Wilczek) cv. Tainan No. 5) seedlings 713

SUBBAIAH CC, KOLLIPARA KP, SACHS MM. A Ca^{2+}-dependent cysteine protease is associated with anoxia-induced root tip death in maize 721

Regulation of Growth, Development and Whole Organism Physiology

FERNÁNDEZ JA, ESCRIBANO J, PIQUERAS A, MEDINA J. A glycoconjugate from corms of saffron plant (*Crocus sativus* L.) inhibits root growth and affects *in vitro* cell viability 731

TODAKA D, MATSUSHIMA H, MOROHASHI Y. Water stress enhances β-amylase activity in cucumber cotyledons 739

BENABDELLAH K, AZCÓN-AGUILAR C, FERROL N. Alterations in the plasma membrane polypeptide pattern of tomato roots (*Lycopersicon esculentum*) during the development of arbuscular mycorrhiza 747

BIDEL LPR, RENAULT P, PAGÈS L, RIVIÈRE LM. Mapping meristem respiration of *Prunus persica* (L.) Batsch seedlings: potential respiration of the meristems, O_2 diffusional constraints and combined effects on root growth 755

VAN IEPEREN W, VAN MEETEREN U, VAN GELDER H. Fluid ionic composition influences hydraulic conductance of xylem conduits 769

Plants and the Environment

PRASAD PVV, CRAUFURD PQ, SUMMERFIELD RJ, WHEELER TR. Effects of short episodes of heat stress on flower production and fruit-set of groundnut (*Arachis hypogaea* L.) 777

GIBBS J, MORRELL S, VALDEZ A, SETTER TL, GREENWAY H. Regulation of alcoholic fermentation in coleoptiles of two rice cultivars differing in tolerance to anoxia 785

NIKLAS KJ. Computing factors of safety against wind-induced tree stem damage 797

GIRÁLDEZ N, APARICIO PJ, QUIÑONES MA. Limiting CO_2levels induce a blue light-dependent HCO_3^- uptake system in *Monoraphidium braunii* 807

Short Communication

HEDLEY PE, MADDISON AL, DAVIDSON D, MACHRAY GC. Differential expression of invertase genes in internal and external phloem tissues of potato (*Solanum tuberosum* L.) 817

Methods Paper

TSUDA M, TYREE M. Plant hydraulic conductance measured by the high pressure flow meter in crop plants 823

Book Review

ROBERTS J. Biochemistry and molecular biology of plant hormones. PJJ Hooykass, MA Hall, KR Libbenga (eds) 829

Number 346

Perspectives in Experimental Botany

COVE DJ. The generation and modification of cell polarity (Review article) 831

Cell and Molecular Biology, Biochemistry and Molecular Physiology

VUYLSTEKER C, CUVELLIER G, BERGER S, FAUGERON C, KARAMANOS Y. Evidence of two enzymes performing the de-N-glycosylation of proteins in barley: expression during germination, localization within the grain and set-up during grain formation 839

BURSTIN J. Differential expression of two barley XET-related genes during coleoptile growth 847
KILBY NJ, FYVIE MJ, SESSIONS RA, DAVIES GJ, MURRAY JAH. Controlled induction of GUS marked clonal sectors in *Arabidopsis* 853
LOGAN DC, LEAVER CJ. Mitochondria-targeted GFP highlights the heterogeneity of mitochondrial shape, size and movement within living plant cells 865
BONORA A, PANCALDI S, GUALANDRI R, FASULO MP. Carotenoid and ultrastructure variations in plastids of *Arum italicum* Miller fruit during maturation and ripening 873

Regulation of Growth, Development and Whole Organism Physiology

GUINEL FC, SLOETJES LL. Ethylene is involved in the nodulation phenotype of *Pisum sativum* R50 (*sym 16*), a pleiotropic mutant that nodulates poorly and has pale green leaves 885
SHACKEL KA, TURNER NC. Seed coat cell turgor in chickpea is independent of changes in plant and pod water potential 895

Plants and the Environment

TURCSÁNYI E, LYONS T, PLÖCHL M, BARNES J. Does ascorbate in the mesophyll cell walls form the first line of defence against ozone? Testing the concept using broad bean (*Vicia faba* L.) 901
LU C, ZHANG J. Role of light in the response of PSII photochemistry to salt stress in the cyanobacterium *Spirulina platensis* 911
GRANTZ DA, YANG S. Ozone impacts on allometry and root hydraulic conductance are not mediated by source limitation nor developmental age 919
SAUTER A, HARTUNG W. Radial transport of abscisic acid conjugates in maize roots: its implication for long-distance stress signals 929
DIETZ K-J, SAUTER A, WICHERT K, MESSDAGHI D, HARTUNG W. Extracellular β-glucosidase activity in barley involved in the hydrolysis of ABA glucose conjugate in leaves 937
BONNET M, CAMARES O, VEISSEIRE P. Effects of zinc and influence of *Acremonium lolii* on growth parameters, chlorophyll *a* fluorescence and antioxidant enzyme activities of ryegrass (*Lolium perenne* L. cv. Apollo) 945

Methods Papers

WITTSTOCK U, CHEN S, HALKIER BA. A method for expression cloning of transporter genes by screening yeast for uptake of radiolabelled substrate 955
EGUCHI T. A new method for on-line measurement of diurnal change in potato tuber growth under controlled environments 961
GUZZO F, CAMPAGNARI E, LEVI M. A new FISH protocol with increased sensitivity for physical mapping with short probes in plants 965

Number 347

Perspectives in Experimental Botany

SOUTER M, LINDSEY K. Polarity and signalling in plant embryogenesis (Review article) 971

Cell and Molecular Biology, Biochemistry and Molecular Physiology

WARRILOW AGS, HAWKESFORD MJ. Cysteine synthase (*O*-acetylserine (thiol) lyase) substrate specificities classify the mitochondrial isoform as a cyanoalanine synthase 985
VICIENT CM, BIES-ETHEVE N, DELSENY M. Changes in gene expression in the *leafy cotyledon1* (*lec1*) and *fusca3* (*fus3*) mutants of *Arabidopsis thaliana* L. 995
PARK S-U, FACCHINI PJ. *Agrobacterium rhizogenes*-mediated transformation of opium poppy, *Papaver somniferum* L., and California poppy, *Eschscholzia californica* Cham., root cultures 1005
HARRIS N, FOSTER JM, KUMAR A, DAVIES HV, GEBHARDT C, WRAY JL. Two cDNAs representing alleles of the nitrate reductase gene of potato (*Solanum tuberosum* L. cv. Desirée): sequence analysis, genomic organization and expression 1017
PEDROSA MC, MAGALHAES JR, DURZAN D. A nitric oxide burst precedes apoptosis in angiosperm and gymnosperm callus cells and foliar tissues 1027
TREVANION SJ. Photosynthetic carbohydrate metabolism in wheat (*Triticum aestivum* L.) leaves: optimization of methods for determination of fructose 2,6-bisphosphate 1037

Regulation of Growth, Development and Whole Organism Physiology

WALKER NA, ZHANG W-H, HARRINGTON G, HOLDAWAY N, PATRICK JW. Effluxes of solutes from developing seed coats of *Phaseolus vulgaris* L. and *Vicia faba* L.: locating the effect of turgor in a coupled chemiosmotic system 1047
KIDD PS, PROCTOR J. Effects of aluminium on the growth and mineral composition of *Betula pendula* Roth 1057
PIERCE S, STIRLING CM, BAXTER R. The influence of secondary senescence processes within the culm of a pseudoviviparous grass (*Poa alpina* var. *vivipara* L.) on the supply of water to propagules 1067
HARTMANN T, MULT S, SUTER M, RENNENBERG H, HERSCHBACH C. Leaf age-dependent differences in sulphur assimilation and allocation in poplar (*Populus tremula* × *P. alba*) leaves 1077
SCHEURWATER I, DÜNNEBACKE M, EISING R, LAMBERS H. Respiratory costs and rate of protein turnover in the roots of a fast-growing (*Dactylis glomerata* L.) and a slow-growing (*Festuca ovina* L.) grass species 1089
KANDLBINDER A, WEINER H, KAISER WM. Nitrate reductases from leaves of *Ricinus* (*Ricinus communis* L.) and spinach (*Spinacia oleracea* L.) have different regulatory properties 1099

Plants and the Environment

GOULD KS, MARKHAM KR, SMITH RH, GORIS JJ. Functional role of anthocyanins in the leaves of *Quintinia serrata* A. Cunn. 1107
GENNEY DR, ALEXANDER IJ, HARTLEY SE. Exclusion of grass roots from soil organic layers by *Calluna*: the role of ericoid mycorrhizas 1117
DE MIGUEL L, BURGIN MJ, CASAL JJ, SÁNCHEZ RA. Antagonistic action of low-fluence and high-irradiance modes of response of phytochrome on germination and β-mannanase activity in *Datura ferox* seeds 1127
TOGNETTI R, MINNOCCI A, PEÑUELAS J, RASCHI A, JONES MB. Comparative field water relations of three Mediterranean shrub species co-occurring at a natural CO_2 vent 1135

Methods Paper

WARREN CR, ADAMS MA. Capillary electrophoresis for the determination of major amino acids and sugars in foliage: application to the nitrogen nutrition of sclerophyllous species 1147

Short Communications

SCHMITZ N, ABRAMS SR, KERMODE AR. Changes in abscisic acid content and embryo sensitivity to (+)-abscisic acid during the termination of dormancy of yellow cedar seeds 1159

ITAI A, TANABE K, TAMURA F, TANAKA T. Isolation of cDNA clones corresponding to genes expressed during fruit ripening in Japanese pear (*Pyrus pyrifolia* Nakai): involvement of the ethylene signal transduction pathway in their expression 1163

Gene Note

SCHRAMMEIJER B, BEIJERSBERGEN A, IDLER KB, MELCHERS LS, THOMPSON DV, HOOYKAAS PJJ. Sequence analysis of the *vir*-region from *Agrobacterium tumefaciens* octopine Ti plasmid pTi15955 1167

Number 348

Perspectives in Experimental Botany

GIMMLER H. Primary sodium plasma membrane ATPases in salt-tolerant algae: facts and fictions (Review article) 1171

Cell and Molecular Biology, Biochemistry and Molecular Physiology

ITAI R, SUZUKI K, YAMAGUCHI H, NAKANISHI H, NISHIZAWA N-K, YOSHIMURA E, MORI S. Induced activity of adenine phosphoribosyltransferase (APRT) in iron-deficient barley roots: a possible role for phytosiderophore production 1179

HELLEBOID S, HENDRIKS T, BAUW G, INZÉ D, VASSEUR J, HILBERT J-L. Three major somatic embryogenesis-related proteins in *Cichorium* identified as PR proteins 1189

WATERWORTH WM, WEST CE, BRAY CM. The barley scutellar peptide transporter: biochemical characterization and localization to the plasma membrane 1201

VICIENT CM, HULL G, GUILLEMINOT J, DEVIC M, DELSENY M. Differential expression of the *Arabidopsis* genes coding for Em-like proteins 1211

MURTHY UMN, SUN WQ. Protein modification by the Amadori and Maillard reactions during seed storage: roles of sugar hydrolysis and lipid peroxidation 1221

GOOSSENS A, QUINTERO C, DILLEN W, DE RYCKE R, VALOR JF, DE CLERCQ J, VAN MONTAGU M, CARDONA C, ANGENON G. Analysis of bruchid resistance in the wild common bean accession G02771: no evidence for insecticidal activity of arcelin 5 1229

DURIEU P, OCHATT SJ. Efficient intergeneric fusion of pea (*Pisum sativum* L.) and grass pea (*Lathyrus sativus* L.) protoplasts 1237

Regulation of Growth, Development and Whole Organism Physiology

SHABALA S, BABOURINA O, NEWMAN I. Ion-specific mechanisms of osmoregulation in bean mesophyll cells 1243

COCHARD H, MARTIN R, GROSS P, BOGEAT-TRIBOULOT MB. Temperature effects on hydraulic conductance and water relations of *Quercus robur* L. 1255

VERGAUWEN R, VAN DEN ENDE W, VAN LAERE A. The role of fructan in flowering of *Campanula rapunculoides* 1261

FABBRI AA, FANELLI C, REVERBERI M, RICELLI A, CAMERA E, URBANELLI S, ROSSINI A, PICARDO M, ALTAMURA MM. Early physiological and cytological events induced by wounding in potato tubers 1267

VAN DER TOORN A, ZEMAH H, VAN AS H, BENDEL P, KAMENETSKY R. Developmental changes and water status in tulip bulbs during storage: visualization by NMR imaging 1277

ALMEIDA JPF, HARTWIG UA, FREHNER M, NÖSBERGER J, LÜSCHER A. Evidence that P deficiency induces N feedback regulation of symbiotic N_2 fixation in white clover (*Trifolium repens* L.) 1289

Plants and the Environment

PAGANO EA, CHUECA A, LÓPEZ-GORGÉ J. Expression of thioredoxins *f* and *m*, and of their targets fructose-1,6-bisphosphatase and NADP-malate dehydrogenase, in pea plants grown under normal and light/temperature stress conditions 1299

NOGUÉS S, BAKER NR. Effects of drought on photosynthesis in Mediterranean plants grown under enhanced UV-B radiation 1309

Short Communication

MATSUI T, OMASA K, HORIE T. Anther dehiscence in two-rowed barley (*Hordeum distichum*) triggered by mechanical stimulation 1319

Number 349

Perspectives in Experimental Botany

FIRN RD, WAGSTAFF C, DIGBY J. The use of mutants to probe models of gravitropism (Review article) 1323

Cell and Molecular Biology, Biochemistry and Molecular Physiology

BOZZO GG, COLMAN B, MATSUDA Y. Active transport of CO_2 and bicarbonate is induced in response to external CO_2 concentration in the green alga *Chlorella kessleri* 1341

MURCHIE EH, FERRARIO-MÉRY S, VALADIER M-H, FOYER CH. Short-term nitrogen-induced modulation of phospho*enol*pyruvate carboxylase in tobacco and maize leaves 1349

LANGEVELD SMJ, VAN WIJK R, STUURMAN N, KIJNE JW, DE PATER S. B-type granule containing protrusions and interconnections between amyloplasts in developing wheat endosperm revealed by transmission electron microscopy and GFP expression 1357

GRIFFITHS G, LEVERENTZ M, SILKOWSKI H, GILL N, SÁNCHEZ-SERRANO JJ. Lipid hydroperoxide levels in plant tissues 1363

Regulation of Growth, Development and Whole Organism Physiology

TOOROP PE, VAN AELST AC, HILHORST HWM. The second step of the biphasic endosperm cap weakening that mediates tomato (*Lycopersicon esculentum*) seed germination is under the control of ABA 1371

MOROHASHI Y, MATSUSHIMA H. Development of β-1,3-glucanase activity in germinated tomato seeds 1381

GALLAIS S, POU DE CRESCENZO M-A, LAVAL-MARTIN DL. Evidence of active $NADP^+$ phosphatase in dormant seeds of *Avena sativa* L. 1389
MCDOUGALL GJ. A comparison of proteins from the developing xylem of compression and non-compression wood of branches of Sitka spruce (*Picea sitchensis*) reveals a differentially expressed laccase 1395
LOBELLO G, FRAMBRINI M, BARALDI R, LERCARI B, PUGLIESI C. Hormonal influence on photocontrol of the protandry in the genus *Helianthus* 1403
SUMMERS JE, RATCLIFFE RG, JACKSON MB. Anoxia tolerance in the aquatic monocot *Potamogeton pectinatus*: absence of oxygen stimulates elongation in association with an unusually large Pasteur effect 1413
SCHLERETH A, BECKER C, HORSTMANN C, TIEDEMANN J, MÜNTZ K. Comparison of globulin mobilization and cysteine proteinases in embryonic axes and cotyledons during germination and seedling growth of vetch (*Vicia sativa* L.) 1423

Plants and the Environment

ECKERT M, KALDENHOFF R. Light-induced stomatal movement of selected *Arabidopsis thaliana* mutants 1435
GARCIA-GARRIDO JM, TRIBAK M, REJON-PALOMARES A, OCAMPO JA, GARCIA-ROMERA I. Hydrolytic enzymes and ability of arbuscular mycorrhizal fungi to colonize roots 1443
PATERSON E, SIM A. Effect of nitrogen supply and defoliation on loss of organic compounds from roots of *Festuca rubra* 1449

Methods Papers

VADEZ V, SINCLAIR TR. Ureide degradation pathways in intact soybean leaves 1459
DECKMYN G, NIJS I, CEULEMANS R A simple method to determine leaf angles of grass species 1467

Short Communications

LESHAM YY, PINCHASOV Y. Non-invasive photoacoustic spectroscopic determination of relative endogenous nitric oxide and ethylene content stoichiometry during the ripening of strawberries *Fragaria anannasa* (Duch.) and avocados *Persea americana* (Mill.) 1471
ARPAGAUS S, BRAENDLE R. The significance of α-amylase under anoxia stress in tolerant rhizomes (*Acorus calamus* L.) and non-tolerant tubers (*Solanum tuberosum* L., var. Désirée) 1475

Gene Note

AGHORAM K, OUTLAW JR WH, BATES GW, CAIRNEY J, PINEDA AO, BACOT CM, EPSTEIN LM, LEVENSON CW. *Abg1*: a novel gene up-regulated by abscisic acid in guard cells of *Vicia faba* L. 1479

Number 350
Special Issue: Water Deficits and Plant Growth

Turgor, Cell Growth and Leaf Development

PROSEUS TE, ZHU G-L, BOYER JS. Turgor, temperature and the growth of plant cells: using *Chara corallina* as a model system 1481
MUNNS R, PASSIOURA JB, GUO J, CHAZEN O, CRAMER GR. Water relations and leaf expansion: importance of time scale 1495
TARDIEU F, REYMOND M, HAMARD P, GRANIER C, MULLER B. Spatial distributions of expansion rate, cell division rate and cell size in maize leaves: a synthesis of the effects of soil water status, evaporative demand and temperature 1505
SCHURR U, HECKENBERGER U, HERDEL K, WALTER A, FEIL R. Leaf development in *Ricinus communis* during drought stress: dynamics of growth processes, of cellular structure and of sink–source transition 1515

Root Function and Adaptation

STEUDLE E. Water uptake by roots: effects of water deficit 1531
WU Y, COSGROVE DJ. Adaptation of roots to low water potentials by changes in cell wall extensibility and cell wall proteins 1543
VAN DER WEELE CM, SPOLLEN WG, SHARP RE, BASKIN TI. Growth of *Arabidopsis thaliana* seedlings under water deficit studied by control of water potential in nutrient-agar media 1555

Synthesis and Functions of ABA

TAYLOR IB, BURBIDGE A, THOMPSON AJ. Control of abscisic acid synthesis 1563
SHARP RE, LENOBLE ME, ELSE MA, THORNE ET, GHERARDI F. Endogenous ABA maintains shoot growth in tomato independently of effects on plant water balance: evidence for an interaction with ethylene 1575
ROBERTS SK, SNOWMAN BN. The effects of ABA on channel-mediated K^+ transport across higher plant roots 1585

Whole Plant Integration and Agriculture Exploitation

HSIAO TC, XU L-K. Sensitivity of growth of roots versus leaves to water stress: biophysical analysis and relation to water transport 1595
DAVIES WJ, BACON MA, THOMPSON DS, SOBEIH W, GONZÁLEZ RODRÍGUEZ L. Regulation of leaf and fruit growth in plants growing in drying soil: exploitation of the plants' chemical signalling system and hydraulic architecture to increase the efficiency of water use in agriculture 1617
STOLL M, LOVEYS B, DRY P. Hormonal changes induced by partial rootzone drying of irrigated grapevine 1627

Number 351

Perspectives in Experimental Botany

ZHU Y-G, SMOLDERS E. Plant uptake of radiocaesium: a review of mechanisms, regulation and application (Review article) 1635

Cell and Molecular Biology, Biochemistry and Molecular Physiology

DE VEYLDER L, BEECKMAN T, VAN MONTAGU M, INZÉ D. Increased leakiness of the tetracycline-inducible *Triple-Op* promoter in dividing cells renders it unsuitable for high inducible levels of a dominant negative *CDC2aAt* gene 1647
WOOD AJ, DUFF RJ, OLIVER MJ. The translational apparatus of *Tortula ruralis*: polysomal retention of transcripts encoding the ribosomal proteins RPS14, RPS16 and RPL23 in desiccated and rehydrated gametophytes 1655

DE JONG A, BORSTLAP AC. Transport of amino acids (L-valine, L-lysine, L-glutamic acid) and sucrose into plasma membrane vesicles isolated from cotyledons of developing pea seeds 1663
DE JONG A, BORSTLAP AC. A plasma membrane-enriched fraction isolated from the coats of developing pea seeds contains H^+-symporters for amino acids and sucrose 1671
KNIGHT H, KNIGHT MR. Imaging spatial and cellular characteristics of low temperature calcium signature after cold acclimation in *Arabidopsis* 1679

Regulation of Growth, Development and Whole Organism Physiology

CHENG L, FUCHIGAMI LH. Rubisco activation state decreases with increasing nitrogen content in apple leaves 1687
PROCTOR MCF, SMIRNOFF N. Rapid recovery of photosystems on re-wetting desiccation-tolerant mosses: chlorophyll fluorescence and inhibitor experiments 1695
PIERCE S, STIRLING CM, BAXTER R. Architectural and physiological heterogeneity within the synflorescence of the pseudoviviparous grass *Poa alpina* var. *vivipara* L. 1705
PYKE K, ZUBKO MK, DAY A. Marking cell layers with spectinomycin provides a new tool for monitoring cell fate during leaf development 1713

Plants and the Environment

LOHAUS G, HUSSMANN M, PENNEWISS K, SCHNEIDER H, ZHU J-J, SATTELMACHER B. Solute balance of a maize (*Zea mays* L.) source leaf as affected by salt treatment with special emphasis on phloem retranslocation and ion leaching 1721
WILL R. Effect of different daytime and night-time temperature regimes on the foliar respiration of *Pinus taeda*: predicting the effect of variable temperature on acclimation 1733
KAISER H, KAPPEN L. *In situ* observation of stomatal movements and gas exchange of *Aegopodium podagraria* L. in the understorey 1741

Methods Paper

SCHEENEN TWJ, VAN DUSSCHOTEN D, DE JAGER PA, VAN AS H. Quantification of water transport in plants with NMR imaging 1751

Gene Notes

BELLES-BOIX E, BABIYCHUK E, VAN MONTAGU M, INZÉ D, KUSHNIR S. CEF, a Sec24 homologue of *Arabidopsis thaliana*, enhances the survival of yeast under oxidative stress conditions 1761
VRANOVÁ E, LANGEBARTELS C, VAN MONTAGU M, INZÉ D, VAN CAMP W. Oxidative stress, heat shock and drought differentially affect expression of a tobacco protein phosphatase $2C^1$ 1765
BUTLER ED, GALLAGHER TF. Characterization of auxin-induced *ARRO-1* expression in the primary root of *Malus domestica* 1767

Number 352

Perspectives in Experimental Botany

BATTEY NH. Aspects of seasonality (Review article) 1769
THOMAS H, THOMAS HM, OUGHAM H. Annuality, perennality and cell death (Review article) 1781

Cell and Molecular Biology, Biochemistry and Molecular Physiology

KVARNHEDEN A, YAO J-L, ZHAN X, O'BRIEN I, MORRIS BAM. Isolation of three distinct *CycD3* genes expressed during fruit development in tomato 1789
KIEFFER F, LHERMINIER J, SIMON-PLAS F, NICOLE M, PAYNOT M, ELMAYAN T, BLEIN J-P. The fungal elicitor cryptogein induces cell wall modifications on tobacco cell suspension 1799

Regulation of Growth, Development and Whole Organism Physiology

COUTAND C, JULIEN JL, MOULIA B, MAUGET JC, GUITARD D. A biomechanical study of the effect of a controlled bending on tomato stem elongation. I. 1813
COUTAND C, MOULIA B. A biomechanical study of the effect of a controlled bending on tomato stem elongation. II. 1825
LOCKE JM, BRYCE JH, MORRIS PC. Contrasting effects of ethylene perception and biosynthesis inhibitors on germination and seedling growth of barley (*Hordeum vulgare* L.) 1843
HAYS DB, REID DM, YEUNG EC, PHARIS RP. Role of ethylene in cotyledon development of microspore-derived embryos of *Brassica napus* 1851
AGUILAR ML, ESPADAS FL, COELLO J, MAUST BE, TREJO C, ROBERT ML, SANTAMARÍA JM. The role of abscisic acid in control of leaf water loss, survival and growth of micropropagated *Tagetes erecta* plants when transferred directly to the field 1861
KINGSTON-SMITH AH, FOYER CH. Overexpression of Mn-superoxide dismutase in maize leaves leads to increased monodehydroascorbate reductase, dehydroascorbate reductase and glutathione reductase activities 1867

Plants and the Environment

GRIFFITH GS, CRESSWELL A, JONES S, ALLEN DK. The nitrogen handling characteristics of white clover (*Trifolium repens* L.) cultivars and a perennial ryegrass (*Lolium perenne* L.) cultivar 1879
ALLEN DJ, RATNER K, GILLER YE, GUSSAKOVSKY EE, SHAHAK Y, ORT DR. An overnight chill induces a delayed inhibition of photosynthesis at midday in mango (*Mangifera indica* L.) 1893
DE NISI P, ZOCCHI G. Phospho*enol*pyruvate carboxylase in cucumber (*Cucumis sativus* L.) roots under iron deficiency: activity and kinetic characterization 1903
LIANG Y, SUN WQ. Desiccation tolerance of recalcitrant *Theobroma cacao* embryonic axes: the optimal drying rate and its physiological basis 1911
OSCARSON P. The strategy of the wheat plant in acclimating growth and grain production to nitrogen availability 1921
GAVITO ME, CURTIS PS, MIKKELSEN TN, JAKOBSEN I. Atmospheric CO_2 and mycorrhiza effects on biomass allocation and nutrient uptake of nodulated pea (*Pisum sativum* L.) plants 1931
KATO-NOGUCHI H.Abscisic acid and hypoxic induction of anoxic tolerance in roots of lettuce seedlings 1939

Short Communication

BRYANT JA, BRICE DC, FITCHETT PN, ANDERSON LE. A novel DNA-binding protein associated with DNA polymerase-α in pea stimulates polymerase activity on infrequently primed templates 1945

Number 353

Perspectives in Experimental Botany

ULLRICH CI, ALONI R. Vascularization is a general requirement for growth of plant and animal tumours (Review article) 1951

Cell and Molecular Biology, Biochemistry and Molecular Physiology

CHATEAU S, SANGWAN RS, SANGWAN-NORREEL BS.Competence of *Arabidopsis thaliana* genotypes and mutants for *Agrobacterium tumefaciens*-mediated gene transfer: role of phytohormones 1961

BLILOU I, OCAMPO JA, GARCÍA-GARRIDO JM. Induction of *Ltp* (lipid transfer protein) and *Pal* (phenylalanine ammonia-lyase) gene expression in rice roots colonized by the arbuscular mycorrhizal fungus *Glomus mosseae* 1969

BALESTRAZZI A, CHINI A, BERNACCHIA G, BRACCI A, LUCCARINI G, CELLA R, CARBONERA D. Carrot cells contain two *top1* genes having the coding capacity for two distinct DNA topoisomerases I 1979

WANG H-L, LEE P-D, CHEN W-L, HUANG D-J, SU J-C. Osmotic stress-induced changes of sucrose metabolism in cultured sweet potato cells 1991

YAMAGUCHI H, NAKANISHI H, NISHIZAWA NK, MORI S. Isolation and characterization of *IDI2*, a new Fe-deficiency-induced cDNA from barley roots, which encodes a protein related to the α subunit of eukaryotic initiation factor 2B (eIF2Bα) 2001

Regulation of Growth, Development and Whole Organism Physiology

ROBINSON A, CLARK CJ, CLEMENS J. Using ^{1}H magnetic resonance imaging and complementary analytical techniques to characterize developmental changes in the *Zantedeschia* Spreng. tuber 2009

IVANDIC V, HACKETT CA, ZHANG ZJ, STAUB JE, NEVO E, THOMAS WTB, FORSTER BP. Phenotypic responses of wild barley to experimentally imposed water stress 2021

POWELL AA, YULE LJ, JING H-C, GROOT SPC, BINO RJ, PRITCHARD HW. The influence of aerated hydration seed treatment on seed longevity as assessed by the viability equations 2031

PRITHIVIRAJ B, SOULEIMANOV A, ZHOU X, SMITH DL. Differential response of soybean (*Glycine max* (L.) Merr.) genotypes to lipo-chito-oligosaccharide Nod *Bj* V ($C_{18:1}$ Me Feu) 2045

HENZLER T, STEUDLE E. Transport and metabolic degradation of hydrogen peroxide in *Chara corallina*: model calculations and measurements with the pressure probe suggest transport of H_2O_2 across water channels 2053

SHIBUYA K, YOSHIOKA T, HASHIBA T, SATOH S. Role of the gynoecium in natural senescence of carnation (*Dianthus caryophyllus* L.) flowers 2067

Plants and the Environment

MARSHALL B, DUNLOP G, RAMSAY G, SQUIRE GR. Temperature-dependent germination traits in oilseed rape associated with 5′-anchored simple sequence repeat PCR polymorphisms 2075

ENNOS AR, SPATZ H-CH, SPECK T. The functional morphology of the petioles of the banana *Musa textilis* 2085

REPO T, ZHANG G, RYYPPÖ A, RIKALA R. The electrical impedance spectroscopy of Scots pine (*Pinus sylvestris* L.) shoots in relation to cold acclimation 2095

Methods Paper

WOLF K, VAN DER TOORN A, HARTMANN K, SCHREIBER L, SCHWAB W, HAASE A, BRINGMANN G. Metabolite monitoring in plants with double-quantum filtered chemical shift imaging 2109

Short Communication

FOWLER MR, ATANASSOVA AI, ELLIOTT MC, SCOTT NW, SLATER A. Characterization of a Mak subgroup Cdc2-like protein kinase from sugar beet (*Beta vulgaris* L.) 2119

Gene Note

FOWLER MR, GARTLAND J, NORTON W, SLATER A, ELLIOTT MC and SCOTT NW. *RS2*: a sugar beet gene related to the latex allergen Hev b 5 family 2125

Book Review

HALL JL. Plant cell vacuoles: an introduction. N. De Deepesh 2127